

CORRIGENDUM No. 1

made on 21.08.2015.

to the

Bidding document for procurement of Goods

Publication Ref: ICB No. IOP/4-2015/C/7

Subject: Procurement of laboratory supplies for scientific and research organizations

Location: Republic of Serbia

The following modifications are made to the Bidding document for procurement of Goods:

In tender documents part: Technical specification, following modifications were made:

I. Some of items were deleted in the following lots:

Lot206-WTW Standard

Lot121-Brand Standard

Lot127-Cell Signaling Standard

Lot136 - Elma Ultrasonic Standard

Lot146-GE Healthcare Standard

Lot152-Hameg Standard

Lot187-Pfieber Vacuum Standard

Lot221-Elektrotehnika-multimetri, logeri, napajanja, generatori

II. New items were added in the following lots:

Lot213-Elektron Standard

Lot104-Applichem Standard

Lot167-Lonza BioResearch Standard

Lot229-UPS Sistemi

Lot112 -BD Diagnostics Standard

Lot111-BD Bioscience Standard

Lot174-Memmert Standard

Due to these changes to the tender documents, lots published on the website of the Purchaser <http://www.piu.rs>, are adjusted, in the following manner:

- If the amendment consists of deleting items, item that will be deleted, it will be crossed in the cell: ID of order will contain a comment with information on the type and how to modify or information on the number of the lot in which the item was moved;
- If the amendment consists of adding items, the item that is added in the cell: ID of order will contain a comment with information on the type and how to modify or information on the number of the lot from which the item was moved;
- If the amendment consists of correction of certain parameters (eg, Product number, Description of the goods, Manufacturer/Catalog), item in which amendment was made in the cell: ID of order will contain a comment with information on the type and nature of corrections.

In order to prepare correct bids, bidders are required to prepare their bids as follows:

- **Regarding lots in which changes were not made, the Bids should be prepared in accordance with the original specification published on the website of the Purchaser;**
- **Regarding lots in which changes were made, the Bids should be prepared in accordance with the latest addendum, published on the website of the Purchaser.**

In accordance with Section I, Instructions to bidders, part B, clause 7 Clarification of bidding documents, deadline for submission of request for clarification on which Purchaser will answer is 15 days before deadline for submission of the bids. All amended documents are part of Bidding documents and will be published on the Purchasers website not later 8 (eight) days before deadline for submission of the bids.

In case that interested parties after stated deadlines notice errors in the catalogue numbers or other parameters, or some imperfections in the description of goods that do not substantially affect the determination of the type and description of goods, bid should be prepared according to technical description of the goods regardless of the catalogue number or any other parameter.

Modification made are given in the table above.

All other terms and conditions of the Bidding document remain unchanged.

The above amendments are integral part of the Bidding document.